

## Invertebrate Paleontology Specimens Phylum Porifera

| GENUS                  | NUMBER* | CABINET |
|------------------------|---------|---------|
| <i>Amblysiphonella</i> | 1       | 8t      |
| <i>Amphispongia</i>    | 1       | 7b      |
| <i>Anthaspidella</i>   | 1       | 7t      |
| <i>Astraeospongium</i> | 22      | 7b      |
| <i>Astylospongia</i>   | 19      | 7t      |
| <i>Astylomanon</i>     | 1       | 7t      |
| <i>Aulocopium</i>      | 2       | 7t      |
| <i>Belemnispongia</i>  | 2       | 7t      |
| <i>Brachiospongia</i>  | 4       | 7b      |
| <i>Caesaria</i>        | 1       | 7b      |
| <i>Calycocoelia</i>    | 1       | 7t      |
| <i>Caryomanon</i>      | 6       | 7t      |
| <i>Caryospongia</i>    | 1       | 7t      |
| <i>Chenendopora</i>    | 1       | 7t      |
| <i>Choanites</i>       | 2       | 8t      |
| <i>Cliona</i>          | 2       | 7t      |
| <i>Cnemidiastrum</i>   | 1       | 7t      |
| <i>Coelocladia</i>     | 6       | 7t      |
| <i>Cylindrocoelia</i>  | 1       | 8t      |
| <i>Dictyophyton</i>    | 3       | 7b      |
| <i>Dictyospongia</i>   | 1       | 7b      |
| <i>Dystactospongia</i> | 18      | 7t      |
| <i>Ectenodictya</i>    | 1       | 7b      |
| <i>Eospongia</i>       | 2       | 7t      |
| <i>Epeudea</i>         | 1       | 8t      |
| <i>Eudea</i>           | 2       | 7b      |
| <i>Felixium</i>        | 1       | 7t      |
| <i>Fissispongia</i>    | 4       | 8t      |
| <i>Girtyocoelia</i>    | 1       | 8t      |
| <i>Guettardiscypha</i> | 1       | 7b      |
| <i>Heliospongia</i>    | 1       | 7t      |
| <i>Heterospongia</i>   | 8       | 7t      |
| <i>Hydnoceras</i>      | 8       | 7b      |
| <i>Ischadites</i>      | 1       | 8t      |

|                                     |    |    |
|-------------------------------------|----|----|
| <i>Lebedictya</i>                   | 1  | 7b |
| <i>Meandrostia</i>                  | 2  | 8t |
| <i>Microspongia</i>                 | 18 | 7t |
| <i>Myrmecidium</i>                  | 1  | 7b |
| <i>Nevadocoelia</i>                 | 1  | 7t |
| <i>Pachyteichisma</i>               | 1  | 7b |
| <i>Palaecis</i>                     | 1  | 8t |
| <i>Palaeomanon</i>                  | 9  | 7t |
| <i>Patellispongia</i>               | 1  | 7t |
| <i>Pattersonia</i>                  | 12 | 7b |
| <i>Peronidella</i>                  | 1  | 7b |
| <i>Phragmodictya</i>                | 1  | 7b |
| <i>Physospongia</i>                 | 4  | 7b |
| <i>Porosphaera</i>                  | 1  | 7b |
| <i>Protospongia</i>                 | 2  | 7b |
| <i>Pseudonydnoceras</i>             | 2  | 7b |
| <i>Pyrgochonia</i>                  | 1  | 7t |
| <i>Rauffella</i>                    | 3  | 8t |
| <i>Scyphia</i>                      | 4  | 7t |
| <i>Siphonia</i>                     | 1  | 7t |
| <i>Siphonocoelia</i>                | 1  | 7b |
| <i>Spongia</i>                      | 1  | 7t |
| <i>Sporadopyle</i>                  | 1  | 7b |
| <i>Streptosolen</i>                 | 1  | 7b |
| <i>Ventriculites</i>                | 3  | 7b |
| <i>Vomacispongites (=Spongites)</i> | 18 | 8t |
| <i>Wewokella</i>                    | 2  | 7b |
| <i>Zittlella</i>                    | 1  | 7t |

**\*Please note: The “number” column refers to number of lots. Each lot can contain numerous specimens.**